

## **AMENDMENTS TO THE CLAIMS**

The following listing of claims will replace all prior versions and listings of claims in the application.

### **LISTING OF CLAIMS**

1. (currently amended) A fuel cell system comprising:
  - a fluid tight enclosure having an outlet;
  - at least one fuel cell operable to generate power using hydrogen-containing gas and oxidant gas as reaction gases, said fuel cell being located in said enclosure;
  - a hydrogen sensor operable to detect the presence of hydrogen, said hydrogen sensor being positioned in ~~a vicinity of~~ said outlet of said enclosure; and
  - a ventilation stream flowing through said enclosure and exiting said enclosure through said outlet, said ventilation stream continuously flowing in contact with said hydrogen sensor when flowing through said enclosure while said fuel cell is operating outlet.

2. (currently amended) ~~The fuel cell system of claim 1, further comprising~~ A fuel cell system comprising:

- a fluid tight enclosure having an outlet;
- at least one fuel cell operable to generate power using hydrogen-containing gas and oxidant gas as reaction gases, said fuel cell being located in said enclosure;
- a ventilation stream flowing through said enclosure and exiting said enclosure through said outlet;
- a hydrogen sensor operable to detect the presence of hydrogen, said hydrogen sensor being in contact with said ventilation stream;
- a compressor operable to supply said oxidant gas to said fuel cell; and
- a flow path communicating with said compressor and said enclosure and through which said compressor ~~to induce~~ induces flow of said ventilation stream.

3. (currently amended) ~~The fuel cell system of claim 2~~ A fuel cell  
system comprising:

- a fluid tight enclosure having an outlet;
- at least one fuel cell operable to generate power using hydrogen-  
containing gas and oxidant gas as reaction gases, said fuel cell being located in said  
enclosure;
- a ventilation stream flowing through said enclosure and exiting said  
enclosure through said outlet;
- a hydrogen sensor operable to detect the presence of hydrogen, said  
hydrogen sensor being in contact with said ventilation stream; and
- a compressor operable to supply said oxidant gas to said fuel cell and to  
induce flow of said ventilation stream,

wherein said enclosure includes an inlet through which said ventilation stream enters said enclosure, said outlet of said enclosure is in fluid communication with an inlet of said compressor, and said compressor draws said ventilation stream from said inlet of said enclosure through said enclosure and outlet and into said compressor.

4. (currently amended) ~~The fuel cell system of claim 2, wherein~~ A fuel cell system comprising:

a fluid tight enclosure having an outlet;

at least one fuel cell operable to generate power using hydrogen-containing gas and oxidant gas as reaction gases, said fuel cell being located in said enclosure;

a ventilation stream flowing through said enclosure and exiting said enclosure through said outlet;

a hydrogen sensor operable to detect the presence of hydrogen, said hydrogen sensor being in contact with said ventilation stream; and

a flow path communicating with a cathode side of said at least one fuel cell and said enclosure and through which a portion of a cathode effluent produced by said fuel cell ~~[[is]]~~ can be discharged into said enclosure and ~~[[forms]]~~ form at least a part of said ventilation stream.

5. (currently amended) The fuel cell system of claim 4, wherein said flow path directs essentially all of said cathode effluent ~~is discharged~~ into said enclosure.

6. (original) The fuel cell system of 1, wherein said hydrogen sensor includes:

a catalytic combustion element operable to consume hydrogen; and

a temperature sensor operable to detect a change in temperature.

7. (original) The fuel cell system of claim 6, wherein essentially all of said ventilation stream flows through said catalytic combustion element.

8. (original) The fuel cell system of claim 7, wherein said hydrogen sensor simultaneously detects and consumes hydrogen.

9. (original) The system of claim 1, further comprising a hydrogen-containing test stream, said test stream being selectively added to said enclosure to test operation of said hydrogen sensor.

10. (original) A fuel cell system comprising:  
an enclosure having an outlet;  
at least one fuel cell operable to generate power using hydrogen-containing gas and oxidant gas as reaction gases, said fuel cell being located in said enclosure;  
a ventilation stream operable to flow through said enclosure and exit said enclosure through said outlet;  
a hydrogen sensor operable to detect the presence of hydrogen, said hydrogen sensor being positioned in a vicinity of said outlet of said enclosure, and said hydrogen sensor including a catalytic combustion element operable to react hydrogen.

11. (original) The fuel cell system of claim 10, wherein said hydrogen sensor further includes a temperature sensor operable to detect a change in temperature as a result of hydrogen reacting in the presence of said catalytic combustion element.

12. (original) The fuel cell system of claim 11, wherein said temperature sensor is a thermocouple.

13. (original) The fuel cell system of claim 11, wherein said temperature sensor is a strain gage having a resistance that changes with a change in temperature.

14. (original) The fuel cell system of claim 11, wherein said temperature sensor includes a shape memory alloy.

15. (original) The fuel cell system of claim 10, wherein essentially all of said ventilation stream flows through said catalytic combustion element prior to exiting said enclosure.

16. (original) A fuel cell system comprising:

- an enclosure having an outlet;
- at least one fuel cell operable to generate power using hydrogen-containing gas and oxidant gas as reaction gases, said fuel cell being located in said enclosure;
- a coolant reservoir operable to hold coolant used to extract thermal energy from said fuel cell, said coolant reservoir being located in said enclosure;
- a hydrogen sensor positioned in said enclosure, said hydrogen sensor being operable to detect the presence of hydrogen;
- a ventilation stream flowing through said enclosure and exiting said enclosure through said outlet; and

wherein at least a portion of said ventilation stream flows through said coolant reservoir prior to exiting said enclosure.

17. (original) The fuel cell system of claim 16, wherein said coolant reservoir comprises a gas separator operable to separate gas from said coolant.

18. (original) The fuel cell system of Claim 16, wherein said ventilation stream is in direct contact with said coolant in said reservoir.



19-44. (cancelled)

45. (new) The fuel cell system of claim 1, wherein said ventilation stream continuously flows through said enclosure during operation of said fuel cell.

46. (new) The fuel cell system of claim 2, wherein said hydrogen sensor is in said outlet and said ventilation stream is in contact with said sensor when flowing through said outlet.

47. (new) The fuel cell system of claim 10, wherein said hydrogen sensor is disposed in said outlet.

48. (new) The fuel cell system of claim 10, further comprising a supply device supplying said oxidant gas to said fuel cell and a flow path communicating with said supply device and said enclosure and through which said supply device induces flow of said ventilation stream through said enclosure.

49. (new) The fuel cell system of claim 10, further comprising an inlet in said enclosure communicating with the environment and through which said ventilation stream enters said enclosure.

50. (new) A fuel cell system comprising:

a fluid tight enclosure having an outlet and an inlet, said inlet communicating with the environment external to said enclosure;

at least one fuel cell operable to generate power using hydrogen-containing anode and oxidant-containing cathode as reactants, said fuel cell being located in said enclosure;

a hydrogen sensor operable to detect the presence of hydrogen, said hydrogen sensor being positioned in said enclosure; and

a ventilation stream flowing through said enclosure, said ventilation stream entering said enclosure through said inlet and exiting said enclosure through said outlet, and essentially an entirety of said ventilation stream flowing in contact with said hydrogen sensor prior to exiting said enclosure.

51. (new) The fuel cell system of claim 50, further comprising a supply device supplying said cathode reactant to said fuel cell and a flow path communicating with said supply device and said enclosure and through which said supply device induces flow of said ventilation stream into said enclosure through said inlet.

52. (new) The fuel cell system of claim 50, wherein said hydrogen sensor is disposed in said outlet of said enclosure.

53. (new) The fuel cell system of claim 50, wherein said hydrogen sensor includes a temperature sensor and a catalytic combustion element operable to react hydrogen.